

In the Claims

Please amend claims to the present application as set forth below. A detailed listing of all claims has been provided. A status identifier is provided for each claim in a parenthetical expression following each claim number.

5

Claims 1—3 were originally filed.

Claims 1—3 are currently amended.

Accordingly, claims 1—3 are pending.

- 10 1. (Currently amended.) An infant garment, comprising:
- (A) a body made of sheet material;
- (B) left and right loop fasteners, attached to upper left and right corners of an inside surface, respectively, adjacent to an upper rear edge of a back portion of the body made of sheet material;
- 15 (C) a front loop fastener strip ~~carried by~~ attached to an outer surface adjacent to an upper edge of a front portion of the body made of sheet material; and
- (D) left and right fastener ~~extensions—connecting~~ extensions, each
fastener extension having a first end attachable to left and or right
20 ends of the front loop fastener strip strip, respectively, and a second
end attachable to the left ~~and~~ or right loop fasteners, respectively.

2. (Currently amended.) The infant garment of claim 1, additionally comprising:

5 (A) left and right outside rear fastening patches, having loop surfaces, attached to an outside surface of the back portion of the body made of sheet material; and

10 (B) left and right auxiliary fasteners attached to a middle portion of the left and right fastener extensions, respectively, wherein each auxiliary fastener includes a first surface having hook fasteners and a smooth second surface, and wherein the hook fasteners of the first surface of the left and right auxiliary fasteners are attachable to the loop surfaces of the left and right outside rear fastening patches, respectively.

3. (Currently amended.) A garment for wear by an infant, comprising:
- (A) a body made of sheet material;
 - (B) left and right loop fasteners, attached to upper left and right corners of an inside surface, respectively, adjacent to an upper rear edge of a back portion of the body made of sheet material;
 - (C) a front loop fastener strip attached to an outer surface adjacent to an upper edge of a front portion of the body made of sheet material;
 - (D) left and right fastener ~~extensions~~ connecting extensions, each fastener extension having a first end attachable to left and or right ends of the front loop fastener strip strip, respectively, and a second end attachable to the left ~~and~~ or right loop fasteners, respectively;
 - (E) left and right outside rear fastening patches, having loop surfaces, attached to an outside surface of the back portion of the body made of sheet material; and
 - (F) left and right auxiliary fasteners attached to a middle portion of the left and right fastener extensions, respectively, wherein each auxiliary fastener includes a first surface having hook fasteners and a smooth second surface, and wherein the hook fasteners of the first surface of the left and right auxiliary fasteners are attachable to the loop surfaces of the left and right outside rear fastening patches, respectively.